



SEDA AEROSOL FIRE EXTINGUISHING SYSTEMS


N-527900 / N-527894

BENEFITS

- Explosion-proof
- Based on a non-toxic and non-reactive solid compound
- Autonomous and automatic, no external or internal power supply required

MORE INFORMATION

- Product video
- More images
- Additional technical specifications
- Online configurator



Automated Fire Suppression for High-Risk Locations (2.5 m³ to 35 m³)



The HEX-MAX fire extinguishing device automatically activates at 170°C or upon direct contact with flames via a heat-sensitive activation wire. The SPIDER fire suppression system features automatic activation at 72°C/93°C (standard) or 110°C.

Applications::

- Quick and simple solution for hazardous substances such as HV accumulators and batteries
- Containers and boxes for storage and transport
- Industrial electrical and transformer areas
- Energy storage systems



TECHNICAL SPECIFICATIONS

HEX-MAX	Dimensions	L 158 mm, Ø 360 mm
	Total weight	2 kg
	Protected Room Volume	2,5 m³
SPIDER	Dimensions	504 x 404 x 145 mm
	Total weight	12 kg
	Protected Room Volume	35 m³ (Additional capacities available upon request)

ORDER NUMBER

N-527900	Aerosol Fire Extinguishing Device HEX-MAX (2,5 m³)
N-527894	Aerosol Fire Extinguishing Device SPIDER 35 m³

How It Works: A stationary, heat-sensitive ATAC wire discharges the extinguishing unit at a specific temperature or upon direct contact with flames. **Note:** Once the device is activated, the area must be evacuated, as inhaling aerosol particles from the extinguishing system can be harmful.